## 

25

## WHAT IS CLAIMED IS:

1. A process of depositing and simultaneously polishing and planarizing a high quality conductive layer on a surface of a substrate, comprising:

loading a substrate on a holder;

applying electrical power to the surface of the said

substrate,

introducing a plating solution comprising an oxidizer on an abrasive polishing pad;

pressing the abrasive polishing pad against the surface of said substrate;

contacting the plating solution with the surface of the substrate and a second electrode;

applying a potential difference between the surface of the substrate and the second electrode;

depositing a conductive layer on the surface of the substrate; and

moving the abrasive pad and the surface of the substrate with respect to each other, thereby simultaneously polishing and planarizing the conductive layer on said substrate.

- 2. A process according to Claim 1, wherein the conductive layer comprises copper.
- 3. A process according to Claim 1, wherein the plating solution comprises an acidic copper plating solution.
- 4. A process according to Claim 3, wherein the acidic copper plating solution has a pH value of less than 4.

25

30

5

10

- 5. A process according to Claim 1, wherein said oxidizer is selected from the group consisting of an inorganic oxidizer, an organic oxidizer, and mixtures thereof.
- 6. A process according to Claim 5, wherein the oxidizer is an organic nitrite.
  - 7. A process according to Claim 6, wherein the nitrite is selected from the group consisting of alkyl nitrites, aromatic nitrites, and polyaromatic nitrites.
  - 8. A process according to Claim 7, wherein the organic nitrite is an alkyl nitrite.
  - 9. A process according to Claim 8, wherein the alkyl nitrite is butyl nitrite.
  - 10. A process according to Claim 1, wherein the oxidizer is an organic nitrate.

11. A process according to Claim 1, wherein the substrate comprises surface features having a width of about 10-100 microns.

12. A modified plating solution for simultaneous polishing and planarization of a substrate, comprising:

a solvent;

an ionic species of a conductive material; and an oxidizer.

13. A modified plating solution according to Claim 12, wherein said oxidizer is selected from the group consisting of an inorganic oxidizer, an organic oxidizer, and mixtures thereof.

19

5

- 14. A modified plating solution according to Claim 12, wherein said oxidizer is an organic nitrite selected from the group consisting of alkyl nitrites, aromatic nitrites, and polyaromatic nitrites.
- 15. A modified plating solution according to Claim 12, wherein said solution has a pH value of less than 4.
- 16. A modified plating solution according to Claim 12,10 wherein said oxidizer is present in an amount of more than 500 ppm.
  - 17. A modified plating solution according to Claim 12, wherein said oxidizer is present in an amount of 0.01 to 10 wt.% of said solution.
  - 18. A modified plating solution according to Claim 12, wherein said conductive metal is Cu.
  - 19. A modified plating solution according to Claim 12, wherein said conductive metal is selected from the group consisting of W, Au, Ni, Pt, Pd, Ag, Co, Sn, Pb and their alloys.
- 20. A modified plating solution according to Claim 12, further comprising at least one additive selected from the group consisting of levelers, brighteners, grain refiners, wetting agents, and stress-reducing agents.